ELSEVIER

Fluid Phase Equilibria 116 (1996) xi–xiii

FLUID PHASE EQUILIBRIA

Contents

Preface vii
Organizing committee viii
Conference Photograph ix

Thermodynamic innovations–new methods from old ideas
G. Wilson (Provo, UT, USA) 1–11
Molecular thermodynamics: opportunities and responsibilities
J.M. Prausnitz (Berkeley, CA, USA) 12–26
The economic impact of fluid properties research on expander plants
D.G. Elliot, J.J. Chen (Houston, TX, USA), T.S. Brown, (Ponca City, OK, USA), E.D. Sloan and A.J. Kidnay (Golden, CO, USA) 27–38

Equilibrium calculation methods
Phase equilibria in chemical reactive fluid mixtures
G. Maurer (Kaiserslautern, Germany) 39–51
Reliable prediction of phase stability using an interval Newton method
J.Z. Hua (Urbana, IL, USA), J.F. Brennecke (Notre Dame, IN, USA) and M.A. Stadtherr (Urbana, IL, USA). 52–59
Molecular dynamics simulation of hydrogen bonding in monomethanolamine
A.S. Grow (West Haven, CT, USA), F.R. Stein (Bethlehem, PA, USA), X. Guo and A. Lucia (Potsdam, NY, USA) 60–67
Determination of binary parameters of an equation of state from methanol + n-alkane vapor–liquid equilibrium data ensuring thermodynamic stability of the calculated liquid phase
P. Voňka (Prague, Czech. Republic), J. Lovland (Trondheim, Norway), P. Dittrich and T. Prokeš (Prague, Czech Republic) 68–74

Pure fluid properties and equations of state
Molecular structure based estimation of properties for process design
R. Gani and L. Constantinou (Lyngby, Denmark). 75–86
A generalized quartic equation of state
V.M. Shah, Y.-L. Lin, P.R. Bienkowski and H.D. Cochran (Tennessee, TN, USA) 87–93
Some characteristics of pure fluid properties that challenge equation-of-state models
J. Gregorowicz (Warsaw, Poland), J.P. O'Connell and C.J. Peters (Delft, The Netherlands) 94–101
Vapor pressure prediction and correlation from the triple point to the critical point
B.E. Poling (Toledo, OH, USA) 102–104

Biotechnology
Phase behavior of α-amino acids in multicomponent aqueous alkanol solutions
M.T. Gude, L.A.M. van der Wielen and K.Ch.A.M. Luyben (Delft, The Netherlands) 110–117
Effect of surface tension on the conformational stability of erythrocyte carbonic anhydrase
F. Cioci, A. Lavecchia and L. Marrelli (Rome, Italy) 118–125
Enzyme recovery from reversed micellar solution through formation of gas hydrates
K. Nagahama, H. Noritomi and A. Koyama (Tokyo, Japan) 126–132
Comparison of the non-solvents ethanol and isopropanol for the fractionation of dextran
C. Neuchl and A. Mersmann (Munich, Germany). 133–139
Salt-induced protein precipitation: phase equilibria from an equation of state
D.E. Kuehner, H.W. Blanch and J.M. Prausnitz (Berkeley, CA, USA) 140–147
Modeling phase transitions and sorption desorption kinetics in thermo-sensitive gels for controlled drug delivery systems
I. Colombo, M. Grassi, M. Fermeglia, R. Lapasin and S. Pricl (Trieste, Italy). 148–161

Supercritical extraction and HPLC analysis of taxol from *Taxus brevifolia* using nitrous oxide and nitrous oxide + ethanol mixtures
V. Vandana, A.S. Teja and L.H. Zalkow (Atlanta, GA, USA) 162–169

Electrolytes
Thermodynamics of ammonia–water mixtures
V. Abovsky (Cambridge, MA, USA) 170–176
Representation of the equilibrium properties of the H_2O–HNO_3–N_2O_5 system using the MSA electrolyte model
J.P. Passarello and W. Furst (Paris, France) 177–184
Theory and simulation for electrolyte solutions: applications to the phase equilibria of mixed solvent systems
L.L. Lee, L.-J. Lee, D. Ghonasgi (Norman, OK, USA), M. Llano-Restrepo (Cali, Colombia), W.G. Chapman (Houston, TX, USA), K.P. Shukla (Prairie View, TX, USA) and E. Lomba (Madrid, Spain) 188–192
Representation of liquid–liquid equilibrium of mixed-solvent electrolyte systems using the extended electrolyte NRTL model
Y. Liu and S. Watanasiri (Cambridge, MA, USA) 193–200
Simultaneous prediction of activity coefficients and enthalpy for aqueous electrolyte solutions at high temperatures
X. Lu, L. Zhang, Y. Wang and J. Shi (Jiangsu, China) 201–208
Representation of salt solubility in mixed solvents: a comparison of the thermodynamic models
S.P. Pinho and E.A. Macedo (Porto, Portugal) 209–216
Models for excess properties of electrolyte solutions: molecular bases and classification, needs and trends for new developments
H. Renon (Paris, France) 217–224

Computer simulation
Molecular modeling in engineering design and materials development
P.M. Mathias, H. Cheng, S.J. Cook, H.C. Klotz and V.S. Parekh (Allentown, PA, USA) 225–236
Molecular dynamics simulation of realistic systems
P.T. Cummings (Knoxville, TN, USA) 237–248
Molecular simulations of fluid phase equilibria
B. Smit (Amsterdam, The Netherlands) 249–256
Current advances in Monte Carlo methods
A.Z. Panagiotopoulos (Ithaca, NY, USA) 257–266
Monte Carlo simulation of n-paraffins and higher alcohols in supercritical carbon dioxide
Y. Iwai, Y. Koga and Y. Arai (Fukuoka, Japan) 267–274
Competition between intermolecular and intramolecular association in polyatomic molecules: theory and simulation
A. Garcia-Cuellar (Houston, TX, USA), D. Ghonasgi (Norman, DC, USA) and W.G. Chapman (Houston, TX, USA) . . . 275–281
Molecular dynamics simulation of infinitely dilute solutions of benzene in supercritical CO_2
H. Inomata, S. Saito (Sendai, Japan) and P.G. Debenedetti (Princeton, NJ, USA) 282–288
Monte Carlo simulation of vapour–liquid equilibria in "Lennard-Jones + three-body potential" binary fluid mixtures
R.J. Sadus (Hawthorn, Vic., Australia) 289–295
Effects of solute size on the local solvent density and solute solubility in infinitely dilute supercritical solutions
X.C. Zeng, J.W. Shen, H. Tanaka, K. Nakanishi and H. Yuan (Lincoln, NC, USA) 296–303
Effects of the solute shape on the potential surface of carbon dioxide–aromatic molecule system
J.-W. Shen, S. Kumakura, O. Kitao and K. Nakanishi (Kyoto, Japan) 304–311
Simulation of binary refrigerant mixture vapor–liquid equilibria using a quasi regular nonrandom fluid theory and local composition mixing rules
F.A. Escobedo and J.J. de Pablo (Madison, WI, USA) 312–319
Simulation of chain molecules for prediction of thermodynamic properties
J.K. Button, K.E. Gubbins (Ithaca, NY, USA), H. Tanaka and K. Nakanishi (Kyoto, Japan) 320–325
Simulations of the methane hydrate/methane gas interface near hydrate forming conditions
P.M. Rodger (Reading, UK), T.R. Forester and W. Smith (Warrington, UK) 326–332

Experimental phase equilibrium and mixture properties
Measurement and prediction of limiting activity coefficients
C.A. Eckert and S.R. Sherman (Atlanta, GA, USA) 333–342
Infinite dilution activity coefficients in chemical, environmental and biochemical engineering
S.I. Sandler (Newar, DE. USA) 343–353

Determination and correlation of Henry's law coefficients, activity coefficients and distribution coefficients for environmental use
S. Maaßen, H. Knapp and W. Arlt (Berlin, Germany) 354–363
VLE measurements at elevated pressures for process development
K. Nagahama (Tokyo, Japan) 361–372
Calorimetric measurements for modeling thermodynamic properties of pure fluids and fluid mixtures
J.P. Grolier, L. Dordain, L. Rodier-Renaud and S. Delcros (Aubière, France) 373–384
Spectroscopy: the fourth vertex on the thermodynamics tetrahedron
K.P. Johnston, J.C. Meredith and K.L. Harruson (Austin, TX, USA) 385–394
Vibrational spectroscopic study of the peculiarities of intermolecular association in aprotic solvents
I.S. Perelygin (Ufa, Russia) 395–398
Phase equilibria of fat compounds with supercritical carbon dioxide
J. Stoldt, C. Saure and G. Brunner (Hamburg, Germany) 399–406
Phase equilibria in the system *n*-butane–water–methyldiethanolamine
F.-Y. Jou, J.J. Carroll, A.E. Mather and F.D. Otto (Edmonton, Alta., Canada) 407–413
Thermodynamics of hydrogen-bonding mixtures 3. G^E, H^E, S^E and V^E of ethylene glycol + 1,3-propylene glycol
J.D. Olson (South Charleston, WV, USA) 414–420
New experimental developments for phase equilibrium measurements
D. Richon (Fontainbleu, France) 421–428
Vapor–liquid phase equilibrium at high pressure for the ethane-trinormalbutylaluminum and ethane–trinormalhexylaluminum systems
A.M. Beard, J.C. Mullins, C.H. Barron (Clemson, SC, USA) and G.A. Daniels (Baton Rouge, LA, USA) 429–436
Water solubilities in blends of gasoline and oxygenates
C. Peng, K.C. Lewis and F.P. Stein (Bethlehem, PA, USA) 437–444
Classification of and transformations between types of fluid phase behavior in selected ternary systems
K. Gauter, L.J. Florusse, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 445–453

Mixture equations of state
Excess free energy mixing rules for cubic equations of state
R.A. Heidemann (Calgary, Alta., Canada) 454–464
Equation of state calculations of supercritical fluid behavior: effects of size and interaction energy
C. Schultze and M.D. Donohue (Baltimore, MD, USA) 465–472
Applicability of the second-order perturbation theory of anisotropic molecule fluids to real systems of constituents differing in molecular size and/or polarity
K. Aim, J. Pavlíček and T. Boublík (Suchdol, Czech. Republic) 473–479
The performance of EoS/G^E models in the prediction of vapor–liquid equilibria in asymmetric systems
E.C. Voustas, C.J. Boukovalas, N.S. Kakspiros and D.P. Tassios (Zagraphos, Greece) 480–487
Comprehensive comparison and evaluation of the mixing rules of WS, MHV2 and Twu et al.
W. Wang, Y. Qu (Beijing, China), C.H. Twu and J.E. Coon (Brea, CA, USA) 488–494
Comparison of ΔG excess mixing rules for multi-phase equilibria in some ternary systems
R.M. Abdel-Ghani and A. Heidemann (Calgary, Alta., Canada) 495–502
Influence of the mixing rule on the liquid–liquid equilibrium calculation
C.V. Filho and G.M.N. Costa (Bahla, Brazil) 503–509
Prediction of supercritical fluid–liquid equilibria for carbon dioxide and fish oil related compounds through the equation of state–excess function (EOS-g^E) approach
L. Coniglio (Pau, France), K. Knudsen and R. Gani (Lyngby, Denmark) 510–517
Equations of state for hydrogen bonding systems
I.G. Economou and M.D. Donohue (Baltimore, MD, USA) 518–529
Application of primitive models of association: a simple theoretical equation of state of water
I. Nezbeda (Prague, Czech. Republic) and J. Pavlíček (Suchdol, Czech Republic) 530–536
A group contribution equation of state for associating mixtures
H.P. Gros, S. Bottini and E.A. Brignole (Bahia Binca, Argentina) 537–544

Author Index 545–546

Part II of this Special Issue can be found in Fluid Phase Equilibria, Volume 117.